

Recording

Insert your own memory into the USB port and record video up to the capacity of your device. Mantis can also automatically transfer your recording to a server and optionally delete the recording after transfer.

Scaling

The built-in video scaling feature allows you to scale down the video input to smaller resolutions, allowing lower bit rates to be used for streaming while maintaining video quality.

Network/Management

Configure Mantis for a fixed IP address or use the default DHCP. You can find the Mantis using the DV Finder, then log in and make configuration settings from an easy to use web interface.

Specifications

Input

Video

- 1x BNC for 3G/HD/SD-SDI
- 1xHDMI
- 1x DVI-I for DVI-D/HDMI and DVI-A/VGA

Audio

- 1x RCA for Analog L/R Audio
- SDI/HDMI/DVI-D embedded audio
- 1x 3.5 mm phone jack

Encoding

- H.264/AVC, Main/ High Profile
- Configurable bit rate up to 10Mbps
- Supported input/ output resolutions
 - 1080@50p/60p (1080p25/30p output)
 - 1080@50i/ 59.94i/60i
 - 720p@50p/59.94/60p
 - 576@50p/480@59.94p
 - 576@50i/ 480@59.94i

Companion Products

DEVOS

Arcus

StreamPump

Streaming Services

Roku Channels

Audio

- AAC-LC
- 32Kbps to 384Kbps
- Sample rate: 48 KHz, 16 bit

Network

- RJ45 10/100 Ethernet
- DHCP Client, Fixed IP

Protocols

- RTMP
- RTSP
- TS UDP/TCP unicast/multicast
- HLS

Record Format


- MP4, TS

Power

- 12V, AC Power Supply Included

Dimension

- 3.25"D x 1.5"H x 6"W



The MANTIS Shelf is a complete system for mounting up to six Discover Video MANTIS encoders in a compact 19" rack. The 8.5" deep, 6" high shelf provides power distribution to each MANTIS encoder so that you require only one AC outlet

For more information visit us on the Web at:

www.Discovervideo.com

Specifications subject to change without notice. Contact Discover Video for latest information.

REV 04 2016

203.626.5267